(in accordance with Regulation (EU) 2015/830)

MAXCLEAN - R

 Version: 6
 Page 1 of 11

 Revision date: 21/01/2017
 Print date: 21/01/2017

SECTION 1: IDENTIFICATION OF THE MIXTURE AND OF THE COMPANY/UNDERTAKING.

1.1 Product identifier.

Product Name: MAXCLEAN - R

1.2 Relevant identified uses of the mixture and uses advised against.

Cleaner

Uses advised against:

Uses other than those recommended.

1.3 Details of the supplier of the safety data sheet.

Company: DRIZORO, S.A.U.

Address: C/ Primavera, 50 - 52 Parque Industrial Las Monjas

City: 28850 Torrejón de Ardoz

 Province:
 Madrid (Spain)

 Telephone:
 +34 91 676 66 76

 Fax:
 +34 91 675 11 31

 E-mail:
 info@drizoro.com

1.4 Emergency telephone number: +34 91 676 66 76 (Only available during office hours)

SECTION 2: HAZARDS IDENTIFICATION.

2.1 Classification of the mixture.

In accordance with Regulation (EU) No 1272/2008:

Carc. 1B: May cause cancer.

Eye Irrit. 2: Causes serious eye irritation.

Flam. Liq. 2 : Highly flammable liquid and vapour. Muta. 2 : Suspected of causing genetic defects.

Skin Irrit. 2: Causes skin irritation.

2.2 Label elements.

Labelling in accordance with Regulation (EU) No 1272/2008:

Pictograms:







Signal Word:

Danger

H statements:

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.
 H319 Causes serious eye irritation.
 H341 Suspected of causing genetic defects.

H350 May cause cancer.

P statements:

P201 Obtain special instructions before use.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

 Construction Products

(in accordance with Regulation (EU) 2015/830)

MAXCLEAN - R

Version: 6

Revision date: 21/01/2017



Page 2 of 11 Print date: 21/01/2017

P321 Specific treatment (see ... on this label).

P370+P378 In case of fire: Use foam, carbon dioxide, sand, water spray, dry chemical, to turn it off

EUH statements:

Restricted to professional users.

Contains:

trichloroethene, trichloroethylene

2.3 Other hazards.

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.

3.1 Substances.

Not Applicable.

3.2 Mixtures.

Substances posing a danger to health or the environment in accordance with the Regulation (EC) No. 1272/2008, assigned a Community exposure limit in the workplace, and classified as PBT/vPvB or included in the Candidate List:

	Name		(*)Classification - Regulation (EC) No 1272/2008	
Identifiers		Concentrate	Classification	specific concentration limit
Index No: 602-004- 00-3 CAS No: 75-09-2 EC No: 200-838-9 Registration No: 01- 2119480404-41-XXXX	[1] dichloromethane,methylene chloride	1 - 100 %	Carc. 2, H351	-
Index No: 602-027- 00-9 CAS No: 79-01-6 EC No: 201-167-4 Registration No: 01- 2119490731-36-XXXX	[1] [4] trichloroethene,trichloroethylene	10 - 20 %	Aquatic Chronic 3, H412 - Carc. 1B, H350 - Eye Irrit. 2, H319 - Muta. 2, H341 - STOT SE 3, H336 - Skin Irrit. 2, H315	-

^(*) The complete text of the H phrases is given in section 16 of this Safety Data Sheet.

SECTION 4: FIRST AID MEASURES.

IRRITANT PREPARATION. Its repeated or prolonged contact with the skin or mucous membranes can cause irritant symptoms such as reddening of the skin, blisters, or dermatitis. Some of the symptoms may not be immediate. They can cause allergic reactions on the skin.

4.1 Description of first aid measures.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

Inhalation.

Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration. Do not administer anything orally. If unconscious, place them in a suitable position and seek medical assistance.

Eve contact.

If wearing contact lenses, remove them. Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance.

Skin contact.

^[1] Substance with a Community workplace exposure limit (see section 8.1).

^[4] Substance included in the list established under Article 59, paragraph 1, REACH (Candidate or subject to authorization).

(in accordance with Regulation (EU) 2015/830)

MAXCLEAN - R

Version: 6

Revision date: 21/01/2017



Page 3 of 11 Print date: 21/01/2017

Remove contaminated clothing. Wash skin vigorously with water and soap or a suitable skin cleaner. **NEVER** use solvents or thinners.

Ingestion.

If accidentally ingested, seek immediate medical attention. Keep calm. **NEVER** induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed.

Irritant Product, repeated or prolonged contact with skin or mucous membranes can cause redness, blisters or dermatitis, inhalation of spray mist or particles in suspension may cause irritation of the respiratory tract, some symptoms may not be immediate. Can cause allergic reactions.

Toxic Product, accidental contact may result in serious respiratory difficulties, alteration of the central nervous system and in extreme cases, unconsciousness. Immediate medical assistance is required.

4.3 Indication of any immediate medical attention and special treatment needed.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

SECTION 5: FIREFIGHTING MEASURES.

The product is Highly inflammable, it can cause or considerably worsen a fire, the necessary prevention measures should be taken and risks avoided. In case of fire, the following measures are recommended:

5.1 Extinguishing media.

Recommended extinguishing methods.

Extinguisher powder or CO_2 . In case of more serious fires, also alcohol-resistant foam and water spray. Do not use a direct stream of water to extinguish.

5.2 Special hazards arising from the mixture.

Special risks.

Fire can cause thick, black smoke. As a result of thermal decomposition, dangerous products can form: carbon monoxide, carbon dioxide. Exposure to combustion or decomposition products can be harmful to your health.

5.3 Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways.

Fire protection equipment.

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and gloves.

SECTION 6: ACCIDENTAL RELEASE MEASURES.

6.1 Personal precautions, protective equipment and emergency procedures.

Eliminate possible ignition points and ventilate the area. No smoking. Avoid breathing fumes. For exposure control and individual protection measures, see section 8.

6.2 Environmental precautions.

Prevent the contamination of drains, surface or subterranean waters, and the ground.

6.3 Methods and material for containment and cleaning up.

Pick up the spill with non-combustible absorbent materials (soil, sand, vermiculite, diatomite, etc.). Pour the product and the absorbent in an appropriate container. The contaminated area should be immediately cleaned with an appropriate decontaminator. Pour the decontaminator on the remains in an opened container and let it act various days until no further reaction is produced.

6.4 Reference to other sections.

For exposure control and individual protection measures, see section 8.

For later elimination of waste, follow the recommendations under section 13.

(in accordance with Regulation (EU) 2015/830)

MAXCLEAN - R

 Version: 6
 Page 4 of 11

 Revision date: 21/01/2017
 Print date: 21/01/2017



SECTION 7: HANDLING AND STORAGE.

Use only in well-ventilated areas. Due to the high volatility of methylene chloride, the STEL values may be exceeded in poorly ventilated areas, such as underground. If ventilation is not adequate, use individual breathing equipment. All persons located in the work area should be properly protected.

7.1 Precautions for safe handling.

The fumes are heavier than air and can spread across the ground. They can form explosive mixtures with air. Prevent the creation of flammable or explosive fume concentrations in the air; prevent fume concentrations above work exposure limits. The product must only be used in areas where all unprotected flames and other ignition points have been eliminated. Electrical equipment has to be protected according to applicable standards.

The product can be electrostatically charged: always use earth grounds when transferring the product. Operators must use antistatic footwear and clothing, and floors must be conductors.

Keep the container tightly closed and isolated from heat sources, sparks, and fire. Do not use tools that can cause sparks. For personal protection, see section 8. Never use pressure to empty the containers. They are not pressure-resistant containers. In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Keep the product in containers made of a material identical to the original.

7.2 Conditions for safe storage, including any incompatibilities.

Store according to local legislation. Observe indications on the label. Store the containers between 5 and 35° C, in a dry and well-ventilated place, far from sources of heat and direct solar light. Keep far away from ignition points. Keep away from oxidising agents and from highly acidic or alkaline materials. Do not smoke. Prevent the entry of non-authorised persons. Once the containers are open, they must be carefully closed and placed vertically to prevent spills.

Classification and threshold amount of storage in accordance with Annex I to Directive 2012/18/EU (SEVESO III)::

		Qualifying quantity (tonnes) for the application of	
Code	Description	Lower-tier requirements	Upper-tier requirements
P5b	FLAMMABLE LIQUIDS	50	200

7.3 Specific end use(s).

Not available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

8.1 Control parameters.

Work exposure limit for:

Name	CAS No.	Country	Limit value	ppm	mg/m³
diable was a thomas months do no able vide	75-09-2	United Eight hours 100	350		
dichloromethane, methylene chloride	75-09-2	Kingdom [1]	Short term	300	1060
trichloroethene, trichloroethylene	79-01-6	United	Eight hours	100	550
tricritoroetherie, tricritoroethylerie	79-01-0	Kingdom [1]	Kingdom [1] Short term 150	820	

[1] According Limit Value (IOELV) list in 2nd Indicative Occupational Exposure adobted by Health and Safety Executive. The product does NOT contain substances with Biological Limit Values. Concentration levels DNEL/DMEL:

Name	DNEL/DMEL	Туре	Value
	DNEL	Inhalation, Long-term, Systemic effects	54,7
tuichleus ath and tuichleus athulana	(Workers)		(mg/m³)
trichloroethene,trichloroethylene	DNEL	Inhalation, Acute, Systemic effects	164,1
N. CAS: 79-01-6	(Workers)		(mg/m³)
N. CE: 201-167-4	DNEL	Dermal, Long-term, Systemic effects	7,8 (mg/kg
	(Workers)	,	bw/dav)

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.

(in accordance with Regulation (EU) 2015/830)

MAXCLEAN - R

 Version: 6
 Page 5 of 11

 Revision date: 21/01/2017
 Print date: 21/01/2017

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.

Concentration levels PNEC:

Name	Details	Value
	aqua (freshwater)	0,115 (mg/L)
	aqua (marine water)	0,0115
		(mg/L)
	aqua (intermittent releases)	0,208 (mg/L)
	PNEC STP	2,6 (mg/L)
trichloroethene,trichloroethylene	sediment (freshwater)	2,04 (mg/kg
N. CAS: 79-01-6		sediment dw)
N. CE: 201-167-4	sediment (marine water)	0,204 (mg/kg
		sediment dw)
	soil	0,344 (mg/kg
		soil dw)
	oral (Hazard for predators)	13,8 (mg/kg
		food)

PNEC: Predicted No Effect Concentration, concentration of the substance below which adverse effects are not expected in the environmental compartment.

8.2 Exposure controls.

Measures of a technical nature:

Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

Concentration:	100 %	
Uses:	Cleaner	
Breathing protect		
	d technical measures are observed, no individual protection equipment is necessary.	
Hand protection:		
PPE:	Protective gloves.	
Characteristics:	«CE» marking, category II.	
CEN standards:	EN 374-1, En 374-2, EN 374-3, EN 420	
Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives.		
Observations:	Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands.	
Material:	PVC (polyvinyl chloride) Breakthrough time (min.): Material thickness (mm): 0,35	
Eye protection:		
PPE: Characteristics:	Face shield. «CE» marking, category II. Face and eye protector against splashing liquid.	
CEN standards:	EN 165, EN 166, EN 167, EN 168	
Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should Maintenance: be disinfected periodically following the manufacturer's instructions. Make sure that mobile parts move smoothly.		
Observations:	ons: Face shields should offer a field of vision with a dimension in the central line of, at least, 150 mm vertically once attached to the frame.	
Skin protection:		
PPE:	Protective clothing.	
Characteristics:	«CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements.	
CEN standards:	EN 340	
Maintenance:	In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer.	
Observations:	The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use.	

Construction Products

(in accordance with Regulation (EU) 2015/830)

MAXCLEAN - R

Version: 6

Revision date: 21/01/2017



Page 6 of 11 Print date: 21/01/2017

PPE: Work footwear.

Characteristics: «CE» marking, category II. CEN standards: EN ISO 13287, EN 20347

Maintenance: This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should

not be used by other people.

Observations: Work footwear for professional use includes protection elements aimed at protecting users against any

injury resulting from an accident

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.

9.1 Information on basic physical and chemical properties.

Appearance: Turbid liquid with a characteristic odor

Colour: N.A./N.A. Odour: N.A./N.A.

Odour threshold: N.A./N.A.

pH:N.A./N.A.

Melting point: N.A./N.A. Boiling Point: >40 °C Flash point: -2 °C

Evaporation rate: N.A./N.A.

Inflammability (solid, gas): N.A./N.A. Lower Explosive Limit: N.A./N.A. Upper Explosive Limit: N.A./N.A. Vapour pressure: N.A./N.A. Vapour density:N.A./N.A. Relative density:1,15 g/cm³ Solubility:N.A./N.A.

Liposolubility: N.A./N.A. Hydrosolubility: N.A./N.A.

Partition coefficient (n-octanol/water): N.A./N.A.

Auto-ignition temperature: N.A./N.A. Decomposition temperature: N.A./N.A.

Viscosity: N.A./N.A.

Explosive properties: N.A./N.A. Oxidizing properties: N.A./N.A.

N.A./N.A.= Not Available/Not Applicable due to the nature of the product

9.2 Other information.

Pour point: N.A./N.A. Blink: N.A./N.A.

Kinematic viscosity: N.A./N.A.

N.A./N.A.= Not Available/Not Applicable due to the nature of the product

SECTION 10: STABILITY AND REACTIVITY.

10.1 Reactivity.

The product does not present hazards by their reactivity.

10.2 Chemical stability.

Stable under the recommended handling and storage conditions (see section 7).

10.3 Possibility of hazardous reactions.

The product does not present possibility of hazardous reactions.

10.4 Conditions to avoid.

Avoid the following conditions:

- Heating.
- High temperature.
- Contact with incompatible materials.

10.5 Incompatible materials.

(in accordance with Regulation (EU) 2015/830)

MAXCLEAN - R

Version: 6

Revision date: 21/01/2017



Page 7 of 11 Print date: 21/01/2017

Avoid the following materials:

- Acids.
- Bases.
- Oxidizing agents.

10.6 Hazardous decomposition products.

Depending on conditions of use, can be generated the following products:

- COx (carbon oxides).
- Organic compounds.
- Halogenated compounds.

SECTION 11: TOXICOLOGICAL INFORMATION.

Methylene chloride is noxious through inhalation. Continued exposure can cause anaesthetic effects due to inhalation, which can cause loss of consciousness and even can be lethal. The repeated exposure to high quantities of methylene chloride can cause adverse effects in the liver and kidneys. It has been classified as a Category 3 carcinogen.

IRRITANT PREPARATION. Splatters in the eyes can cause irritation.

IRRITANT PREPARATION. Its repeated or prolonged contact with the skin or mucous membranes can cause irritant symptoms such as reddening of the skin, blisters, or dermatitis. Some of the symptoms may not be immediate. They can cause allergic reactions on the skin.

11.1 Information on toxicological effects.

There are no tested data available on the product.

Repeated or prolonged contact with the product can cause the elimination of oil from the skin, giving rise to non-allergic contact dermatitis and absorption of the product through the skin.

Splatters in the eyes can cause irritation and reversible damage.

a) acute toxicity;

Not conclusive data for classification.

b) skin corrosion/irritation;

Product classified:

Skin irritant, Category 2: Causes skin irritation.

c) serious eye damage/irritation;

Product classified:

Eye irritation, Category 2: Causes serious eye irritation.

d) respiratory or skin sensitisation;

Not conclusive data for classification.

e) germ cell mutagenicity;

Product classified:

Mutagen, Category 2: Suspected of causing genetic defects.

f) carcinogenicity;

Product classified:

Carcinogen, Category 1B: May cause cancer.

g) reproductive toxicity;

Not conclusive data for classification.

h) STOT-single exposure;

Based on available data, the classification criteria are not met.

i) STOT-repeated exposure;

Not conclusive data for classification.

j) aspiration hazard;

Not conclusive data for classification.

(in accordance with Regulation (EU) 2015/830)

MAXCLEAN - R

Version: 6

Revision date: 21/01/2017



Page 8 of 11 Print date: 21/01/2017

SECTION 12: ECOLOGICAL INFORMATION.

12.1 Toxicity.

No information is available regarding the ecotoxicity of the substances present.

12.2 Persistence and degradability.

No information is available about persistence and degradability of the product.

12.3 Bioaccumulative potencial.

No information is available regarding the bioaccumulation of the substances present.

12.4 Mobility in soil.

No information is available about the mobility in soil.

The product must not be allowed to go into sewers or waterways.

Prevent penetration into the ground.

12.5 Results of PBT and vPvB assessment.

No information is available about the results of PBT and vPvB assessment of the product.

12.6 Other adverse effects.

No information is available about other adverse effects for the environment.

SECTION 13 DISPOSAL CONSIDERATIONS.

13.1 Waste treatment methods.

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

Follow the provisions of Directive 2008/98/EC regarding waste management.

SECTION 14: TRANSPORT INFORMATION.

Transport following ADR rules for road transport, RID rules for railway, ADN for inner waterways, IMDG for sea, and ICAO/IATA for air transport.

Land: Transport by road: ADR, Transport by rail: RID.

Transport documentation: Consignment note and written instructions

<u>Sea</u>: Transport by ship: IMDG. Transport documentation: Bill of lading <u>Air</u>: Transport by plane: ICAO/IATA. Transport document: Airway bill.

14.1 UN number.

UN No: UN2810

14.2 UN proper shipping name.

Description:

ADR: UN 2810, TOXIC LIQUID, ORGANIC, N.O.S., 6.1, PG III, (E) IMDG: UN 2810, TOXIC LIQUID, ORGANIC, N.O.S., 6.1, PG III ICAO: UN 2810, TOXIC LIQUID, ORGANIC, N.O.S., 6.1, PG III

14.3 Transport hazard class(es).

Class(es): 6.1

14.4 Packing group.

Packing group: III

14.5 Environmental hazards.

Marine pollutant: No

14.6 Special precautions for user.

(in accordance with Regulation (EU) 2015/830)

MAXCLEAN - R

Version: 6

Revision date: 21/01/2017



Page 9 of 11 Print date: 21/01/2017

Labels: 6.1



Hazard number: 60 ADR LQ: 5 L IMDG LQ: 5 L ICAO LQ: 2 L

Provisions concerning carriage in bulk ADR: Not authorized carriage in bulk in accordance with ADR. Transport by ship, FEm – Emergency sheets (F – Fire, S - Spills): F-A,S-A Proceed in accordance with point 6.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code.

The product is not transported in bulk.

SECTION 15: REGULATORY INFORMATION.

15.1 Safety, health and environmental regulations/legislation specific for the mixture.

The product is not affected by the Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

Volatile organic compound (VOC) VOC content (p/p): 84 % VOC content: 970 g/l

Product classification according to Annex I of Directive 2012/18/EU (SEVESO III): P5b

The product is not affected by Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products.

The product is not affected by the procedure established Regulation (EU) No 649/2012, concerning the export and import of dangerous chemicals.

Restrictions on the manufacturing, placing on the market and use of certain dangerous substances, mixtures and articles:

Designation of the substance, of the **Conditions of restriction** group of substances or of the mixture 28. Substances which appear in Part 3 of 1. Shall not be placed on the market, or used, Annex VI to Regulation (EC) No 1272/2008 - as substances, classified as carcinogen category 1A or 1B - as constituents of other substances, or, (Table 3.1) or carcinogen category 1 or 2 - in mixtures, (Table 3.2) and listed as follows: for supply to the general public when the individual concentration in the - Carcinogen category 1A (Table substance or mixture is equal to or greater than: 3.1)/carcinogen category 1 (Table 3.2) listed - either the relevant specific concentration limit specified in Part 3 of Annex VI in Appendix 1 to Regulation (EC) No 1272/2008, or, - Carcinogen category 1B (Table - the relevant concentration specified in Directive 1999/45/EC where no 3.1)/carcinogen category 2 (Table 3.2) listed specific concentration limit is set out in Part 3 of Annex VI to Regulation (EC) in Appendix 2 No 1272/2008. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows: 'Restricted to professional users'. 2. By way of derogation, paragraph 1 shall not apply to: (a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC; (b) cosmetic products as defined by Directive 76/768/EEC; (c) the following fuels and oil products: - motor fuels which are covered by Directive 98/70/EC

(in accordance with Regulation (EU) 2015/830)

MAXCLEAN - R

Version: 6

Revision date: 21/01/2017



Page 10 of 11 Print date: 21/01/2017

- mineral oil products intended for use as fuel in mobile or fixed combustion
plants,
- fuels sold in closed systems (e.g. liquid gas bottles);
(d) artists' paints covered by Directive 1999/45/EC;
(e) the substances listed in Appendix 11, column 1, for the applications or
uses listed in Appendix 11, column 2. Where a date is specified in column 2 of
Appendix 11, the derogation shall apply until the said date.

15.2 Chemical safety assessment.

There has been no evaluation a chemical safety assessment of the product.

SECTION 16: OTHER INFORMATION.

Complete text of the H phrases that appear in section 3:

H315	Causes skin irritation.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H351	Suspected of causing cancer.

H412 Harmful to aquatic life with long lasting effects.

Classification codes:

Aquatic Chronic 3: Chronic effect to the aquatic environment, Category 3

Carc. 1B: Carcinogen, Category 1B
Carc. 2: Carcinogen, Category 2
Eye Irrit. 2: Eye irritation, Category 2
Flam. Liq. 2: Flammable liquid, Category 2

Muta. 2 : Mutagen, Category 2

STOT SE 3 : Specific target organ toxicity following a single exposure, Category 3

Skin Irrit. 2 : Skin irritant, Category 2

Sections changed compared with the previous version:

1,2,4,5,7,8,9,10,14,16

It is advisable to carry out basic training with regard to health and safety at work in order to handle this product correctly.

Abbreviations and acronyms used:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

CEN: European Committee for Standardization.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be

considered a tolerable minimum.

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not

anticipated.

PPE: Personal protection equipment.

IATA: International Air Transport Association.

ICAO: International Civil Aviation Organization.

IMDG: International Maritime Code for Dangerous Goods.

PNEC: Predicted No Effect Concentration, concentration of the substance below which adverse effects are

not expected in the environmental compartment.

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail.

Key literature references and sources for data:

http://eur-lex.europa.eu/homepage.html

http://echa.europa.eu/ Regulation (EU) 2015/830.

(in accordance with Regulation (EU) 2015/830)

MAXCLEAN - R

Version: 6

Revision date: 21/01/2017



Page 11 of 11 Print date: 21/01/2017

Regulation (EC) No 1907/2006. Regulation (EU) No 1272/2008.

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.